

Mailing Address

Box 304, Fomoton Plains, New Jersey Turnofke & Alexander Avenue
Phone after 5:00 P. M.

Terhune 5- 4859

RECEIVED

Greenhouse

Greenhouse

Turnofke & Alexander Avenue
ompton Plains, New Jersey
RECEIVED

We have sent this list to you in accordance with your request, and we hope you may find so lething to request you.

No one in business can exist unless costs are eventually added to the price paid by the customer. We have many requests for colored catalogues, but they are not only costly but missleading. Few are true to color. Our advertising is kept to a minimum as we do not feel justified in charging fees for false claims in full page ads. You too have to pay for this in cost of plants.

Our speciality has been the species, as we forsaw the day they would become scarce. Many countries have placed an embargo on the collecting of these plants, and we are now being forced to raise from seed the same plants we once imported from the wilds. Fortunately, we have some available and the price has not changed; although, we may have to refuse orders for more than one of each kind so as to be fair to the next fellow.

This list supercedes all others and is effective immediately.

We welcome visitors every day except Thursday. If you are in the vicinity, drop in. You are not obligated to buy.

CALANTHE

Mc Williams Winter-Spring \$ 4.
Spray, up to 35 flowers, white with red lip.
Dormant, mammoth bulbs.

CATTLEYA

This genus is the most popular of all orchids. They include beauty with usefullness, and are included with the intermediate varieties growing at a temperature of 60° to 65°.

Bowringiana Brazil October \$ 5.- 7.50 Rose purple, in clusters of 5 to 15 flowers, darker on the lip.

Gigas Warm Colombia Summer \$8.-15.

Rose sepals and petals, lip crimson purple with gold markings in the throat. The largest of the species.

Mendelii Colombia Summer \$ 5.-20. Variable. White to pale purple sepals and petals with magenta or purple lip.

Mossiae Venezuela Spring \$7.50-15.
Flowers larger, variable. Rose with crimson lip,
yellow markings.

Percivaliana Venezuela Dec. - Jan. \$ 5.-7.50

Dark sepals and petals, very dark lip.

Chysis Intermediate Spring \$ 7.50-10.

Bractescens. Star shape, white with yellow lip, four or more flowers to a stem, heavy substance.

CYMBIDIUM

Cool

Alexanderae x Ceres Pamela x Ceres Ceres x Solon Gillian Yellow Hammer Elaine Miles

During the late spring, we will have many divisions of these and other varieties, both as dormant bulbs and established in 4" pots. We also have a large group of 6" plants, identified only as to color, as they are from a private collection and the names were lost.

6" established named plants 4" established named plants 2 to 3 bulb named plants

\$15. \$ 7.50 \$ 5.

ASCIAS HAVA e have sent this itst to you in sometimes tith your convert, would become scarce. Tany countries have placed an entange on the collection of these plants, and we are now rein forced to raise find seed the same plants we open imported from the wilds. Torough, we have some available and the price him not elect although, we have to refuse orders for more that one of each king so as to be fair to the next fellow. This list supernedes all others and is elective is addictely. the vicinity, drop in. You are not oblicated to buy. . 12.0 Sorey, up to 35 flowers, white with med lip. init come is the lost poulpr of all cookids. They include becary
with usefullness, and ore included with the inversely to varieties
upowing at a teristature of 60 to 65. ACTADE Y Dec. - dan. - 1 5:-7:50

mallita

During her late spring, we will have many divisions of those and otier verieties, both as dornant bulbs and ascaplished in 4" nots. We also may a large group of 6" olants, identified only at to color, as they are from a private collection and the names were lost.

CYMBIDIUM CONT'D.

Unestablished dormant bulbs when available \$ 1.50 ea.
Labeled " " " " \$ 1.50-2.50 Labeled " "

NO ORDERS ACCEPTED AT THESE RICLS FOR WHITE OR GREEN VARIETIES.

CYPRIPEDIUM cool Insignae Insignae Sanderae, yellow Harrisonianum, mahogany hybrid Harefield Hall, large insignae type \$10. \$ 5. \$ 7.50 Aureum Surprise, handsome yellow and white hybrid Venustum, purple and green St. Albans, red hybrid

D_NDROBIUM Intermediate

Spring \$ 7.50-15. Large flower of white and rose with deep purple blotch in the lip. A good hybrid of the Nobile type.

Spring Similar to Merlin above, but flowers are smaller, and hardly two plants are alike.

White, spade lip with orange-yellow stain.

Phalaenopsis Winter \$ 7.50-15. Varies from dark to light purple

> EPIDLIDRUM Intermediate

Cochlioda \$ 5. The shell orchid.

\$ 5.-10. Mariae Green sepals and petals, large white lip.

Barly summer \$ 5.-7.50 Prismatocarpum Chartruse & chestnut brown bars on petals. Fine spray.

Atropurpureum Dark purple sepal and petal with purple lip. Flowers about 11/2". Long lasting.

> LYCASTE cool

Winter Aromatica Golden vellow flowers of good substance. Fragrant. Lasting.

LAMILIA Intermediate to cool

Fall Flowers 3" to 4". Rose with deep purple lip, variable

Anceps alba \$15.-25. Pure white, black veins in throat.

> ODONTOGLOSSUM Cool

Spring Pulchellum Small pure white flowers with touch of yellow in labellum. Looks like an inverted white viola. Long lasting.

Citrosmum Summer Lovely pendant spray of pinkish-purple flowers. About 2"across.

> ONCIDIUM Intermediate

Spring & Summer \$ 5. Flexuosum Small spray of yellow flowers barred with chestnut brown.

Spring Sphacelatum Small flowers with chestnut brown sepals and petals barred with yellow, lip golden yellow.

Winter Splendidum Brect stems with large yellow flowers, petals barred with chestnut brown, large flat lip.

CYMBIDIUM CONT'D. 02.5-02.18 NO ORDERS ACCULTED AT THESE AICHTOR WITH OR GRAND VINTERS. 5,50-10. . Q.L. St. Albens, red hybrid 7,50-15. \$ 5,-7,50 3 5,07,50 \$ 5,-10. tocarpum

Locarpum

Lacarpum

Lacarp 08.80 Golden rellow flowers of good substance, Fragrant, Jasting, 2747. 4 \$15,-25, small pure white llowers with touch of yellow in labellum. Looks like an inverted white viola. Long lasting. Lovely pendant sorsy of pinkish-purple flowers. About 2"across. Spring & bunner & 5. with yellow, lip golden yellow.

chastnut brown, lenge flam lip.

rect stems with large yellow flowers, petals barred with

ONCIDIUM CONT'D.

Cebollita Late Spring \$ 4.
Sprays of many small yellow and tan flowers.

VANDA

Intermediate

Coeruñae: Various \$ 10.-15.
The famous "Blue Orchid". It needs lots of light and cool temperature.

Tricolor Java Various \$10.

Sprays of large yellow flowers spotted with purple, purple lip, long lasting.

Specimen plants 2½ - 3 feet

\$35.

Suavis \$10.

Similar to Vanda Tricolor of which it is a variety. Flower background is white.

FLOWERING SIZEDPLANTS FOR BEGINNERS Selected for Easy Culture

Many customers have availed themselves of our offer of plants for beginners, and we have varied our collections from time to time. We will also work out any selection to meet your growing conditions. We offer the following as a suggestion. They will give a long period of bloom depending upon the number of plants purchased.

Selection #1

1	white cattleya hybrid purple cattleya hybrid cypripedium	\$10. 7.50 4.	Special	\$17.50
		Selection	#2	
1	purple cattleya hybrid cypripedium Oncidium Splandidum	\$ 7.50 4. 5.	Special	\$15.
		Selection	#3	
1		\$10. 7.50 7.50	Special	\$22.50
		Selection	% 4	
1	white cattleya hybrid purple cattleya hybrid cymbidium hybrid, 4" pot	\$10. 7.50 5.	Special	\$20.
		4 4 4 4 4 4		

During the past ten years we have purchased numerous private and commercial collections. As we take the entire collection, we usually acquire many types that are of interest to collectors. There are botanicals, oncidiums, odontoglosums, and numerous others. If interested, write us. We might have the one plant for which you are looking.

200 purple hybrids, labeled, have flowered 10 plants \$72.50

25 plants

\$175.00

PRICES SUBJECT TO CHANGE WITHOUT NOTICE ON ALL ABOVE ITEMS.

"Your First Orchids and How to Grow Them"
This booklet revised to April 1955 is published by the Oregon Orchid Society. It is a complete guide, well written for the amateur and advanced growers. Copies may be had for \$1.25

Unay oustaques have availed themselves of our offer of plants for be doners, and we have veried our collections from the lo ilse to will elect our more our may nelection to meet nour mouths conditions. We offer the following as a magnetion. They will give a long parted of bloom december area the minest of plants purchasely.

OTHER HOUSE PLANTS BPOM_LIADS in variety. As most of our plants are hybrids, we offer a few types of the Aecmea such as fulgens, fasciata, etc.
Blooming size plants from \$ 4. Blooming size plants from HARMANTHUS, King Alfred. A gorgeous coral head of flowers about 8" across, in the summer. Treat like amaryllis. Shipping of large bulbs, Feb. to April \$ 6. each EUCHARIS arnazonica dormant bulbs \$ 1.50 each ANTHURIUMS \$ 5.-7.50 Scherzerianum Red, flame, and spotted varieties. Spathiphyllum var Clevelandi \$ 2.50-5. White Andreanum hybrids \$ 5.-10. up Red, salmon, and pink varieties only STUD STOCK We offer one plant only, except where starred (**) C. Prince Charlie \$125. Soft yellow s & p with deep red lip and yellow eyes in throat. #2316 (Adams) Lemon yellow, pinkish lip, small flower. Large plant. Lc. Snowdrift Extra Fine \$ 75. W/P Good flower. Healthy plant. Lc. Snowdrift \$ 20. Same as above but flower just another w/p. Lc. Hassali alba, variety Majestica 4 bulb plant \$150. Pure white sepals and petals with deep red-purple lip & into labellum. Not a round flower as grown today, but a striking beauty. So far as we know, the only one in existance other than a 4 bulb plant sold a year ago. C. Western Horizon (Armacost & Royston) \$ 35. Medium sepals and petals with extra dark lip. \$ 25. C. Leda Extra Dark Almost as dark as the photo of Ruby in White's book. Small flower. Christmas flowering. Lc. Queen Mary var Stonehurst \$ 35. Medium dark. Dark lip. Bc. Dunsford ** \$ 55. Fine dark, full rounded flower, but hard to bloom. Souv. Louis Sander x C. Snowdon ** \$ 25.-90. Our finest white. Heavy substance and large flower. Will flower about every 8 to 9 months with us. NOT AVAILABLE TO COMMERCIAL GROVERS.

C. Green Gold **

Shades from yellow to dark chartruse with red lip and gold eyes in throat.

We give no warranty, expressed or implied, as to the expectancy of production of any of the plants we sell; and we will not be responsible for the crop.

Prices are quoted F. O. B. Pompton Plains, New Jersey. Plants offered subject to prior sale.

Minimum order \$5.00, otherwise add 10% packing charge.

Terms: Cash with order.

STHAIT LAUOH SLHTO

nello	ow.	ebiacyń :	plants are	THE	20	Jeon a	ty. As	eirsv	ni	BUALL	PiO 1	H
	* 915	esciate,	fulgens, f	8.8	such	semos	the As	to seg	T.Y.	wel s		
dose	4 1					moul	plants	size	ing	Bloom		

duod.		seed of flowers	l fero:		2 A . J	Alfred	King	HADDANTHUS,
		maryllis.	like a	. Treat	annins	in the	, 880	8" acri
Mose .	7		April	I'eb. bo	bulbs,	Paral	10 20	ite girle

AUC ALIS arnazontea dermant bulga \$1.50 each

AMULTUHUMA

Scherzerianum 3 5.-7.50 Red, flame, and spotted varieties.

Spathiphyllum var Glevelandi 2.50-5.

Andreanum hybrida Rod, salaon, and pink varieties only

MODER AUTE

. . We offer one plant only, except where starred (**)

C. Prince Charlie Soft yellow a C p with deep rod lip and rellow eyes in treat.

#2316 (Adams)
Lamon yellow , pinkish lip, small flower. Large plant.

Lo. Snowdrift Latte Fine W/P Good flower, Healthy plant.

Lo. snowdrift | 120. Snowdrift | 120. Snowdrift | 120. Sanother w/p.

Lo. Massali aloa, variety Majestica 4 bulb plant 1150.

Pure white sopals and vetals with deep red-ourses lip a into labellum. Not a round flower as grown today, but a striking beauty. So far as of know, the only one in existence cother than a 4 bulb plant sold a year ago.

G. Western Horizon (Armacost & Royston) 1 35.
Medium serals and parala with entre dark lig.

C. Leda Extra Dark
Almost as dark as the photo of Ruby in White's book.
Leda Extra Dark as the photo of Ruby in White's book.

Lo. Queen Wary var Stonehurst Wadium dark. Dark lip.

Bo. Duneford **
Pine dark, full rounded flower, but hard to bloom.

#69 Souv. Louis ander x C. nowdon **
Our finest white. Heavy substance and large flower.
Will flower about every 8 to 9 months with us.
NOT AVAILABLE TO COLUMNICATION GROW. No.

C. Green Gold **

Landes from vellow to derk obsettuse with red lib
and gold eyes in throat.

水水池水水水水

We give no warranty, expressed or implied, as to the expectancy of production of any of the plants we sell; and we will not be responsible for the crop.

Prices are cuoted F. O. B. Pompton Plains, New Jersey.

Plants offered subject to prior sale.

Minimum order \$5.00, otherwise add 10% packing charge.

Terms: Cash with order.

GROWING ORCHIDS IN THE HOUSE

During the past ten years we have tried to answer numerous questions from far and near as to the growing of orchids in the home. Our reply is "we started that way before we branched out as a business".

In all fairness, let us state that it is much easier in a greenhouse, but we know of hundreds who do not have one. Some have been very successful. We were.

Other questions most generally asked are herein answered to the best of our ability.

HOW HOT DOES IT HAVE TO BE? Our greenhouse is not for orchids, so we are fortunate to have it over 50° at 0°. Guessing at the probable temperature, we withold watering if cold. A dry plant is safer. The proper temperature for cattleyas should be 62° - 65° at night.

HOW OFTEN DO YOU WATER IN THE POT? A good rule is about 4 days for a 4" pot and 5 days for a 5" pot. This applies to hybrids that do not have a definite resting period. Species have a definite resting period which is usually indicated by the light green tip at the end of each root. When this is not visible, the plant is resting, and only overhead spraying about every 4 to 5 days in summer is enough. In the winter with heat in a dry room, overhead spraying could be done daily. Just keeping the psuedo bulb plump is all that is required.

HOW MUCH HUMIDITY IS NEPDED? That is hard to maintain in a home. A tray 4" deep with pebbles or coke to hold moisture is a good idea. Put a slat frame about 1" above the pebble level and after soaking the pebbles, set the plant on the frame. Never let the plant set in water.

LIGHT REQUIREMENTS. This is also a problem at home as a plant requires bright light but not direct sun. During the winter, plants need all the light possible short of burning the leaves. More shading is needed in summer, but the best place for your plants is outside in a semi shady spot. Be careful of direct sun. From March to September or early October, the plants should have more shade, after which they will stand more light. A slightly yellow leaf plant will produce more flowers than a dark green leaf one.

HOW OFTEN DO WE SPLIT A PLANT? This question is becoming more common, but you do not have to divide a plant at all if you do not want to. We divide to obtain plants to sell, but a plant with 15 leaves or more will produce more flowers and make a handsome show. If you do divide, never have less than 4 leaved bulbs to a division. Bare back bulbs should be left on as they give a certain amount of strength to the plant. However, if the bulbs are too yellow and do not have a live eye, it is just as well to cut them off. If the plant is valuable, you can sometimes force a growth from bulbs that appear blind but it is a long process.

HOW OFTEN DO YOU REPOT? We try to send out plants that will not need it for two years. When repotting, try to use a pot that will take two year's growth.

HOW DO YOU REPOT? Get a clean pot and fill about \(\frac{1}{2} \) full of broken crock. A plant should have the peat from the back end removed as much as possible. Leave the peat on the growing or front end and place firmly in the pot so that you will finish with it about 3/4" below the rim of the pot. Shread the peat and insert in pot with the back bulb against the pot side. Work the peat from the front end with a pointed stick; force the peat against the center of the plant. Insert peat around the sides, and at every insertion, shove the peat from the side into the center against the plant. This avoids a hole in the center. When it seems full, ram it hard into the pot, working from side to center. You will need more peat to fill in around the pot. The new eye should be level with the peat surface. Do not use soaking wet peat, but have it moist to the touch. After potting, do not water for about two weeks. Spray overhead until new growth starts.

Other popular types of orchids are the cypripedium and cymbidium. The former, not having psuedo bulbs, requires a damp growing medium at all times. Less light is required, but the warm types adapt better to the home. Cymbidiums grow in soil and peat and need an overhead spraying daily, with extra spraying in the summer. They grow much better outside in a light shade, and should be watered daily. The spike usually starts in the late fall and winter. Watch for growth, and after the spike starts, water in the pot but only after you are sure it is nearly dry. Unless grown at about 55° at night, they might drop the buds before opening.

GROWING ORGANDS IN THE HOUSE

During the past ten years we have tried to answer numerous questions from far and near as to the growing of orchids in the home. Our reply is "we started that may before we branched out as a business".

In all fairness, let us state that it is much easier in a greenhouse, but we know of hundreds who do not have one. Some have been very successful. Te mere-

Other questions most generally asked are herein answered to the best of our ability.

HOW HOT DOES IT HAVE TO BE? Our greenhouse is not for orchids, so we are fortunate to have it over 50° at 0°. Guessing at the probable temperature, we withold watering if cold. A dry plant is safer. The proper temperature for cattleyes should be 62° - 65° at night.

HOW OFTEN DO YOU WATER IN THE FOT? A good rule is about 4 days for a 4" not and 5 days for a 5" not. This applies to hybrids that do not have a definite resting period. Species have a definite resting period which is usually indicated by the light green tip at the end of each root. Then this is not visible, the plant is resting, and only overhead spraying about every 4 to 5 days in summer is enough. In the winter with heat in a dry room, overhead spraying could be done daily. Just keeping the pauedo bulb plump is all that is required.

HOW MUCH HUMIDITY IS MEFDED? That is hard to maintain in a home. A tray 4" deep with pebbles or coke to hold moisture is a good idea. Put a slat frame about 1" above the pebble level and after sosicing the pebbles, set the plant on the frame. Mever let the plant set in water.

LIGHT REQUIREMENTS. This is also a problem at home as a plant requires bright light but not direct sun. During the winter, plants need all the light possible short of burning the leaves. More shading is needed in summer, but the best place for your plants is outside in a semi shady spot. Pe careful of direct sun. From March to September or early October, the plants should have more shade, after which they will stand more light. A slightly yellow leaf plant will produce more flowers than a dark green leaf one.

HOW OFTEN DO WE SPLIT A PLANT? This question is becoming more common, but you do not have to divide a plant at all if you do not want to. We divide to obtain plants to sell, but a plant with 15 leaves or more will produce more flowers and make a handsome show. If you do divide, never have less than 4 leaved bulbs to a division. Bare back bulbs should be left on as they give a certain amount of strength to the plant. However, if the bulbs are too yellow and do not have a live eye, it is just as well to cut them off. If the plant is valuable, you can sometimes force a growth from bulbs that appear blind but it is a long process.

HOW OFTEN DO YOU REFOT? We try to send out plants that will not need it for two years. When repotting, try to use a pot that will take two year's growth.

HOW DO YOU REFOR? Get a clean not and fill about & full of broken crock. A plant should have the peat from the back end removed as much as possible. Leave the peat on the growing or front end and place firmly in the not so that you will finish with it about 3/4" below the rim of the pot. Shread the neat and insert in not with the back bulb against the pot side. Work the neat from the front end with a nointed atick; force the next against the center of the plant. Insert neat around the sides, and at every insertion, showe the next from the side into the center against the plant. This avoids a hole in the center. When it seems full, raw it hard into the pot, worlding from side to center. You will need more next to fill in around the pot. The new eye should be level with the next surface. To not use soaking we peat, but have it moist to the touch. After nothing, do not water for about two weeks. Sorsy overhead until new growth starts.

Other popular types of orchids are the cyrripedium and cymbidium. The former, not having osuedo bulbs, requires a damp growing medium at all times. Less light is required, but the warm types adapt better to the home. Cymbidiums grow in soil and peat and need an overhead spraying daily, with extra corsying in the summer. They grow much botter outside in a light shade, and should be watered daily. The soike usually starts in the late fall and winter. Watch for growth, and after the spike starts, water in the pot but only after you are sure it is nearly dry. Unless grown at about 55° at right, they might dree the buds before opening.